

Must for the PRO-LINK
 Cleanest, Wet-Look Floor System
 Wet-Look Resurfacer
 PRO-LINK is a wet-look floor system that provides a durable, long-lasting finish. It is available in a variety of colors and finishes to match your decor.
 Saves Time and Labor
 PRO-LINK is a wet-look floor system that provides a durable, long-lasting finish. It is available in a variety of colors and finishes to match your decor.
 Formulates Restorer Building
 PRO-LINK is a wet-look floor system that provides a durable, long-lasting finish. It is available in a variety of colors and finishes to match your decor.
 Universally Adaptable
 PRO-LINK is a wet-look floor system that provides a durable, long-lasting finish. It is available in a variety of colors and finishes to match your decor.

distributed by
 ©1994 Preferred Distributors, Inc.
 San Antonio, TX 78232 USA • 1-800-745-4657

PRO-LINK
Preference
Auto-On Restorer 2

AUTOMATIC/MOP-ON RESTORATION FOR WELL-FINISHED FLOORS



JUST MOP
 CAUTION: Wear eye protection.
 SUITE: 1-800-745-4657

RESTAURACION AUTOMÁTICA O MEDIANTE TRAPEADOR PARA PISOS BIEN ACABADOS

LIMPAJE EN TRAPEADOR
 PRECAUCIÓN: Use protección ocular.
 SUITE: 1-800-745-4657

AUTOMATIC/MOP-ON RESTORATION FOR POORLY-FINISHED FLOORS



JUST MOP
 CAUTION: Wear eye protection.
 SUITE: 1-800-745-4657

RESTAURACION AUTOMÁTICA O MEDIANTE TRAPEADOR PARA PISOS MAL ACABADOS

LIMPAJE EN TRAPEADOR
 PRECAUCIÓN: Use protección ocular.
 SUITE: 1-800-745-4657

SPRAY BUFFING



JUST MOP
 CAUTION: Wear eye protection.
 SUITE: 1-800-745-4657

ABRILLANTADOR EN AEROSOL

LIMPAJE EN TRAPEADOR
 PRECAUCIÓN: Use protección ocular.
 SUITE: 1-800-745-4657

REORDER NO. FR201

For Industrial, Institutional and Commercial Use Only
Caution: Keep out of the reach of children. Direct eye contact may cause burning or irritation. Prolonged exposure to high concentrations of vapor may irritate nasal mucous membranes or cause dizziness, nausea. Use with adequate ventilation. If inhaled, may cause gastrointestinal irritation.
First Aid: Eye contact: Flush eyes with large amounts of water for at least 15 minutes, occasionally holding eyelids open. Skin contact: Wash skin with mild soap and warm water. If swallowed: Drink two (2) large glasses of water. DO NOT induce vomiting. Call a physician.

Emergency Medical Telephone Number
 1-800-228-5635


Spills or Leaks: Collect and reuse, if possible. Flush to sewer with large quantities of water if permitted by local, state and federal regulations. Do not allow runoff into public waterways.
Ingredients (CAS Numbers): Water (7732-18-5), isopropanol (67-53-0), pine oil (8002-09-3), preservative (88-04-0), potassium sulfate (68783-34-6).
NOTE: For added safety, only purchase floor care products which list the raw materials and CAS numbers on the label.
Net Contents: 1 Gallon (3.789 L)



REORDER NO. FR201

EMERGENCY MEDICAL TELEPHONE NUMBER
 1-800-228-5635

MATERIAL SAFETY DATA SHEET



SECTION I - IDENTITY AND MANUFACTURER'S INFORMATION

Preferred Distributors, Inc.
 16607 Blanco Rd., Suite 101, San Antonio, TX 78232
 Telephone Number for Information: 210-493-1191
 Product Name: PRO-LINK Preference Auto-On Restorer 2
 Date Prepared: May, 1994
 Prepared by Regulatory Affairs Department

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components:	CAS #'s	OSHA PEL	ACGIH TLV	Other Limits	% Optional
Isopropyl alcohol	67-63-0	400ppm	400ppm	980mg/m	<.05
Fatty acid, Potassium salt	68783-34-6	N/E	N/E	N/A	N/A
Pine oil	8002-09-03	N/E	N/E	N/A	N/A

This mixture does not contain components which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212°F
 Vapor Pressure: <30
 Vapor Density: <1
 Solubility in Water: Complete
 Appearance and Odor: Clear, light amber liquid - pine odor

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): N/A
 Flammable Limits: N/A LEL:N/A UEL:N/A
 Extinguishing Media: Use media proper to the primary cause of fire
 Special Fire Fighting Procedures: None
 Unusual Fire and Explosion Hazards: None

SECTION V - PHYSICAL HAZARDS

Stability: Unstable Conditions to Avoid: N/A
 Stable Conditions to Avoid: N/A
 Incompatibility (Materials to Avoid): N/A
 Hazardous Decomposition: None
 Products or Byproducts: None
 Hazardous Polymerization: May Occur Conditions to Avoid: N/A
 Will Not Occur Conditions to Avoid: N/A

SECTION VI - HEALTH HAZARDS

Route(s) of Entry: Inhalation? N/A Skin? N/A Ingestion? X
 Health Hazards (Acute and Chronic):
 Eyes: Direct eye contact may result in irritation. Skin: Prolonged and repeated exposure may result in dryness. Ingestion: Gastrointestinal irritation, diarrhea, nausea.
 Carcinogenicity: NTP? N/A IARC Monographs? N/A OSHA Regulated? N/A

Signs and Symptoms of Exposure: See Health Hazards
Medical Conditions Generally Aggravated by Exposure: None Known
Emergency and First Aid Procedures: Eyes: Flush with water for 15 minutes occasionally holding eyelids open. Skin: Flush with water. Ingestion: Drink 2 large glasses of water. Call a physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled:
 Collect and reuse if possible, absorb with inert material (sand, sawdust, etc.), or flush to sewer with large quantity of water if permitted by all local, state, and federal regulations.
Waste Disposal Method:
 Flush to sewer with large quantity of water or dispose of inert material in a chemical landfill as permitted by all local, state and federal regulations.
Precautions to be Taken in Handling and Storing:
 Store in cool, dry area. Normal good housekeeping practices to prevent splashes and spills.
Other Precautions: Keep out of the reach of children.

SECTION VIII - CONTROL MEASURES

Respiratory Protection: Normally none required.
Ventilation: Local Exhaust: N/A Special: N/A
 Mechanical (Gen.): Satisfactory Other: N/A
Protective Gloves: Rubber gloves to protect sensitive skin. **Eye Protection:** Safety glasses/goggles if splashing is likely.
Other Protective Clothing or Equipment: Full cover clothing.
Work/Hygiene Practices: Wash thoroughly after handling.

NOTICE: NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OR MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE, ARE MADE WITH RESPECT TO INFORMATION CONCERNING THE PRODUCT REFERRED TO IN THIS MATERIAL SAFETY DATA SHEET. The goal of defining precisely, in measurable terms, every possible health effect that may occur in the workplace as a result of chemical exposures cannot realistically be accomplished. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 C.F.R. 1910. 1200 of the Occupational Safety and Health Standards Hazard Communications Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of the date hereof. Preferred Distributors, Inc. however, makes no representations as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the same will be required to make their own determination as to its suitability for their purposes prior to use. In no event will Preferred Distributors, Inc. be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this Material Safety Data Sheet. The ultimate compliance with federal, state or local regulations concerning the use or disposal of this compound, or compliance with respect to products liability rests solely upon the purchaser thereof.