

SAFETY DATA SHEET

Issue Date 30-Jan-2015

Revision Date 30-Jan-2015

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name

Discover Industrial Hard Surface Non Butyl Degreaser

Other means of identification

SDS#

JC-009-002

Details of the supplier of the safety data sheet

Pro-Tex-All 210 S. Morton Avenue Evansville, IN 47713

Emergency telephone number

Company Tellephone Emergency Telephone

812-424-8268

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Carcinogenicity	Category 1B

Label elements

Emergency Overview

Danger

Hazard statements

Causes skin irritation
Causes serious eye irritation
May cause cancer
Toxic to aquatic life
Harmful to aquatic life with long lasting effects



Appearance Clear

Physical state Liquid

Odor Citrus

Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Avoid release to the environment

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention Specific Treatment (See Section 4 on the SDS) IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

0.00327% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Sodium Carbonate	497-19-8	1-5	*
Tetrasodium EDTA	64-02-8	1-5	*
Surfactant Blend	Proprietary	1-5	*
Sodium Hydroxide	1310-73-2	.1-1	*
Sodium Nitrite	7632-00-0	.1-1	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice If symptoms persist, call a physician.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician. Wash contaminated clothing before reuse. Wash off immediately with plenty of water. Immediate medical attention is not required. Wash off immediately with

soap and plenty of water while removing all contaminated clothes and shoes.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

symptoms persist, call a physician. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye

wide open while rinsing.

Inhalation Remove to fresh air. If symptoms persist, call a physician. Immediate medical attention is

not required. Move to fresh air in case of accidental inhalation of vapors.

Ingestion Rinse mouth. Do NOT induce vomiting. Immediate medical attention is not required. Drink

plenty of water. Clean mouth with water and drink afterwards plenty of water. Never give

anything by mouth to an unconscious person. Call a physician.

Discover Industrial Hard Surface Non Butyl Degreaser

Revision Date 30-Jan-2015

Self-protection of the first aider

Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms

Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No Information available.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protective equipment as required. Avoid contact with eyes and skin. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. After cleaning, flush away traces with water. Prevent product from entering drains. Dam up.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required. Use with local exhaust ventilation. Do not breathe

dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed. Keep out of the reach of children. Keep containers tightly

closed in a cool, well-ventilated place. Keep in properly labeled containers.

Incompatible materials

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Exposure guidelines noted for ingredients.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m³	IDLH: 10 mg/m ³
1310-73-2		(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
2-Propanol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	_
Ethanol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5	• •	TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	ŭ

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir. 1992).

Appropriate engineering controls

Engineering Controls

Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tight sealing safety goggles. Face protection shield.

Skin and body protection

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular

cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Liquid Clear

Color Odor Green Citrus

Odor threshold

No Information available

Property

Values

Remarks • Method

Discover Industrial Hard Surface Non Butyl Degreaser

Revision Date 30-Jan-2015

Hq

10.5 - 11.5

Specific Gravity

1.03

Viscosity

Water Thin

Melting point/freezing point

No Information available

Flash point

>200 °F

Boiling point / boiling range

Evaporation rate

>1

Flammability (solid, gas) Flammability Limits in Air

Upper flammability limit:

Not Applicable Not Applicable

Lower flammability limit: Vapor pressure

No Information available

Vapor density

No Information available

Water solubility

Complete

Partition coefficient Autoignition temperature **Decomposition temperature** No Information available No Information available No Information available

Other Information

Density Ibs./Gal

8.59

VOC Content (%)

1.80728

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

Avoid breathing vapors or mists.

Eye contact

Avoid contact with eyes. Contact with eyes may cause irritation.

Skin Contact

Avoid contact with skin. Prolonged or repeated contact may dry skin and cause irritation.

Ingestion

Do not taste or swallow.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
			

Discover Industrial Hard Surface Non Butyl Degreaser

Sodium Carbonate 497-19-8	= 4090 mg/kg (Rat)	Yes	= 2300 mg/m³ (Rat) 2 h
Propylene Glycol 57-55-6	= 20000 mg/kg (Rat)	= 20800 mg/kg (Rabbit)	Yes
Sodium Nitrite 7632-00-0	= 85 mg/kg (Rat)	Yes	= 5.5 mg/L (Rat) 4 h
2-Propanol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m ³ (Rat) 4 h

Information on toxicological effects

Symptoms

No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No Information available.

Germ cell mutagenicity

No Information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium Nitrite	Yes	Group 2A	Yes	X
7632-00-0				

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity STOT - single exposure No Information available.

No Information available. No Information available.

STOT - repeated exposure Chronic toxicity

Avoid repeated exposure.

Aspiration hazard

No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity

0.00327% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

12. ECOLOGICAL INFORMATION

Ecotoxicity

0,00327% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium Carbonate 497-19-8	242: 120 h Nitzschia mg/L EC50	310 - 1220: 96 h Pimephales promelas mg/L LC50 static 300: 96 h Lepomis macrochirus mg/L LC50 static	265: 48 h Daphnia magna mg/L EC50
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static	610: 24 h Daphnia magna mg/L EC50
Propylene Glycol 57-55-6	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50	1000: 48 h Daphnia magna mg/L EC50 Static 10000: 24 h Daphnia magna mg/L EC50
Nonylphenol Ethoxylate 9016-45-9	Yes	5; 96 h Fish mg/L LC50	Yes
Sodium Hydroxide 1310-73-2	Yes	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	Yes

Sodium Nitrite	Yes	0.4 - 0.6: 96 h Oncorhynchus	Yes
7632-00-0		mykiss mg/L LC50 semi-static 0.65 -	100
7632-00-0		1: 96 h Oncorhynchus mykiss mg/L	
		LC50 static 2.3: 96 h Pimephales	
		promelas mg/L LC50 flow-through	
		20: 96 h Pimephales promelas mg/L	
		LC50 static 0.19: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		flow-through 0.092 - 0.13: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		flow-through	
2-Propanol	1000: 96 h Desmodesmus	9640: 96 h Pimephales promelas	13299: 48 h Daphnia magna mg/L
67-63-0	subspicatus mg/L EC50 1000: 72 h	mg/L LC50 flow-through 11130: 96	EC50
	Desmodesmus subspicatus mg/L	h Pimephales promelas mg/L LC50	
	EC50	static 1400000: 96 h Lepomis	
		macrochirus µg/L LC50	0000 44004 40 5 Darkii
Ethanol	Yes	12.0 - 16.0: 96 h Oncorhynchus	9268 - 14221; 48 h Daphnia magna
64-17-5			mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static 10800: 24 h
		Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h	ng/L EC50 Static 10000. 2411 Daphnia magna mg/L EC50
		Pimephales promelas mg/L LC50	Dapinia magna mgr. 2000
		flow-through	
Trisodium nitrilotriacetate	560 - 1000: 96 h Chlorella vulgaris	93 - 170: 96 h Pimephales promelas	560 - 1000; 48 h Daphnia magna
5064-31-3	mg/L EC50	mg/L, LC50 flow-through 560 - 1000:	mg/L LC50
5004-31-3	Hight Loss	96 h Oryzias latipes mg/L LC50	g. = = = = =
		semi-static 72 - 133: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		static 560 - 1000: 96 h Poecilia	
		reticulata mg/L LC50 semi-static	
		560 - 1000: 96 h Poecilia reticulata	
		mg/L LC50 114: 96 h Pimephales	
		promelas mg/L LC50 175 - 225: 96	
İ		h Lepomis macrochirus mg/L LC50	
		static 252: 96 h Lepomis	·
		macrochirus mg/L LC50 470: 96 h	
	,	Pimephales promelas mg/L LC50	
		static 560 - 1000: 96 h Oryzias	
		latipes mg/L LC50	

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Chemical Name	Partition coefficient
Sodium Nitrite	-3.7
7632-00-0	

Other adverse effects

No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging

Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sodium Carbonate 497-19-8	Corrosive
Sodium Hydroxide 1310-73-2	Toxic Corrosive
Sodium Nitrite 7632-00-0	Toxic Ignitable Reactive

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

<u>DOT</u>

Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA DSL/NDSL Complies Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Hydroxide 1310-73-2	1000 lb	Yes	Yes	X
Sodium Nitrite 7632-00-0	100 lb	Yes	Yes	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Hydroxide 1310-73-2	1000 lb	Yes	RQ 1000 lb final RQ RQ 454 kg final RQ
Sodium Nitrite	100 lb	Yes	RQ 100 lb final RQ RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Ethanol - 64-17-5	Carcinogen
	Developmental
II C State Dight to Visco Devolutions	Developmenta

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Propylene Glycol 57-55-6	X	Yes	X
Sodium Hydroxide 1310-73-2	X	X	Х
Sodium Nitrite 7632-00-0	X	Х	X
2-Propanol 67-63-0	X	X	X
Ethanol 64-17-5	X	Х	X
Trisodium nitrilotriacetate 5064-31-3	Yes	X	Yes

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

 /ATTO	126	 2 2 2 2	1820	253 H.	

NFPA

Health hazards 1

Flammability 0

Instability 0

Physical and Chemical

HMIS

Health hazards 1

Flammability 0

Physical hazards 0

Properties Yes
Personal protection B

Issue Date

30-Jan-2015

Revision Date

30-Jan-2015

Revision Note

No Information available

<u>Disclaimer</u>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

			**		
				• •	•
					ţ
					•
		•			
					·
					Beerkholm